



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,794	03/29/2004	Richard E. Swan	A042 P00992-US1	2532
3017	7590 02/22/2006		EXAMINER	
•	OSEPHS & HOLMES, I	ELDRED, JOHN W		
101 DYER ST 5TH FLOOR	KEEI		ART UNIT PAPER NUMBER	
PROVIDENC	E, RI 02903		3641	
			DATE MAILED: 02/22/2000	5

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.
10/811794				
·			EXAMINER	
			ART UNIT	PAPER
				02162006

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The following issues must be addressed to correct informalities in the reissue application:

- I. The drawings are improper. Any changes to the claims require that they be designated as "amended". MPEP 1413.
- II. Amendment filed 5-23-05 lacks support for claim changes/additional claims. Listing a number of Figures would not qualify as sufficient support.
- III. A supplemental declaration is needed since the original "no deceptive intent" statement does no cover the preliminary amendment. Also, City and State are necessary for residence, if not an address. Finally, the recitation of the error is too broad. Specific language outlining the error(s) in the original claims is required.

Applicant has a 1 (one) month shortened statutory period to respond to this communication.

If Applicant has specific questions concerning the requirements outlined in this communication, he is encouraged to call SPRE Steve Meyers at 571-272-6611.

J. Woodrow Eldred Primary Examiner Art Unit: 3641 571-272-6901

Woodhow Elded